

## REQUEST FOR QUOTATION

|   | The Philippine Statistics Authority (PSA) through the   | ne Bids and Awards Committee (BAC), intends to  |  |  |  |  |  |  |
|---|---|---|--|--|--|--|--|--|
| procure   | Procurement of Varie  | Procurement of Various ICT & Audio Equipments   |  |  |  |  |  |  |
| which sh  | shall be undertaken in accordance with  | Section 52.1 (b) (Shopping)   |  |  |  |  |  |  |
| of the 20   | 2016 Revised Implementing Rules and Regulations of Re   | epublic Act No. 9184, with an Approved Budget of the  |  |  |  |  |  |  |
| Contract  | tract (ABC) in the amount of <b>222,000.00</b> Two Hundred Twenty Two Thousand Pesos Only   |   |  |  |  |  |  |  |
| Please quote your <b>best offer</b> for the <b>item/s described herein</b> , subject to the Terms and Conditions provided         |   |   |  |  |  |  |  |  |
| below. Submit your quotation duly signed by you or your duly authorized representative <b>not later than</b>                      |   |   |  |  |  |  |  |  |
|   | RY 09,2024 at 11:00AW throug  |   |  |  |  |  |  |  |
| For any clarification, you may contact us at telephone no. <b>(02)</b> 8374-8263 or email address at gsdprocurement.psa@gmail.com |   |   |  |  |  |  |  |  |
| дзиргоси  | Sar ement page grianism.  | Amongminas  |  |  |  |  |  |  |
|   |   | MINERVA ELOISA P. ESQUIVIAS Chairperson, Bids and Awards Committee  |  |  |  |  |  |  |
|   | TERMS AND   | /   |  |  |  |  |  |  |
| 1   |   |   |  |  |  |  |  |  |
| 2   | Price quotattion/s must be valid for a period of <b>thirty (30) calendar days</b> from the date of submission.  |   |  |  |  |  |  |  |
| 3<br>4  | Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties and/or levies payable.  Quotations exceeding the ABC shall be rejected.  |   |  |  |  |  |  |  |
| 5   | Award of contract shall be made to the lowest quotation which complies with the technical specifications, and other terms and conditions stated herein.  This procurement project is to be awarded by lot.  |   |  |  |  |  |  |  |
| 6   | Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or your duly authorized representative.   |   |  |  |  |  |  |  |
| 7   | In case of two or more bidders are determined to have submitted the LCRB, the PSA shall adopt and employ "draw lots" as the tie-breaking method to finally detrmine the single winning bidder in accordance with GPPB Circular 06-2005.   |   |  |  |  |  |  |  |
| 8<br>9  | The item/s shall be delivered according to the requirements specified in<br>The PSA shall have the right to inspect and/or test the goods to confirm  |   |  |  |  |  |  |  |
| 10  | Payment shall be made after delivery and upon submission of the required supporting documents, i.e. Order Slip and/or Billing Statement, by the supplier. Our Government Servicing Bank, Land Bank of the Philippines, shall credit the amount due to the identified bank of the supplier not earlier than twenty four (24) hours, but not later than forty eight (48) hours, upon receipt of our advice. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the account of the supplier. |   |  |  |  |  |  |  |
| 11  | Liquidated damages equivalent to one tenth (1/10) of one percent (1%) imposed per day of delay. The PSA shall rescind the contract once the amount of the contract, without prejudice to other courses of action and  | of the value of the goods not delivered within the prescribed period shall be cumulative amount of liquidated damages reaches ten percent (10%) of the remedies open to it. |  |  |  |  |  |  |
|   |   |   |  |  |  |  |  |  |

| Documents to be submitted  | Deadline                  | Remarks                      |
|--|---------------------------|------------------------------|
| Copy of the 2024 Mayor's/Business Permit and valid PhilGEPS Registration | not later than 1/9/245 at | Together with the quotation. |



| After having carefully read and accepted the Terms and Conditions, I/We sub-  | Unit | Quantity | Unit<br>Price | Total Amount<br>(VAT<br>Inclusive) | Compliance with<br>Technical<br>Specifications (pls.<br>check) |      |
|---|------|----------|---------------|------------------------------------|--|------|
|   |      |          |               |                                    | Yes  | No   |
| Procurement of Various ICT & Audio Equipments   |      |          |               |                                    |  |      |
| 1. Projector  | рс   | 2        |               |                                    |  | 7111 |
| Specifications: Model: EB-FH52 Full HD 3LCD Projector Connectivity: USB, Wireless Network and HDMI input Dimension Excluding Feet (WxHxD): 309 x 90 x 282 mm Resolution: 1920 x 1080 (Full HD) Contrast Ratio: 16,000:1 Color Brightness: 4,000 lumens White Brightness: 4,000 lumens Features: Wifi, Screen Mirroring and Quick Corner |      |          |               |                                    |  |      |
|   |      |          |               |                                    |  |      |
| Extension Cord (wheel type)   | рс   | 10       |               | -                                  |  |      |
| Specifications: Model: WEW-10M/U Extension Wheel 10 Meters, 2,500W 10A 250V 3-Gang universal heavy duty outlets With overheating protection button Power leakage/surge protector safety breaker Rapid flame retardant   |      |          |               |                                    |  |      |
| 3. Extension Cord (universal outlet)  | pc   | 15       |               |                                    |  |      |
| Specifications: Model: WED-360-PK Universal Outlet Extension Cord 6-Gang with Switch 1.83 meter cord length 2500W 10A 250V Capacity Impact resistant and highly conductive Built-in safety circuit breaker and lightning protector  |      |          |               |                                    |  |      |
| 4. Wireless Rechargeable Microphone   | set  | 2        |               |                                    |  |      |
| Specifications: Model: UW-500 UHF Microphone Signal Transmission 1 receiver to 2 microphones Built-in 6-axis gyroscope Auto detecting to enter mute mide Operation range: up to 90m (in open area) Channel: 100 CH x 2 Frequency Response: 80Hz to 12000Hz Battery: size AA   |      |          |               |                                    |  |      |

| 5. Wired Microphone with microphone cable and stand                  | set                   | 3 |  |            |  |   |
|--|-----------------------|---|--|------------|--|---|
| 3. WITEG MIGIOPHONE WITH MIGIOPHONE SUBJECTION STAND                 |                       |   |  |            |  |   |
| Wired Microphone Specifications:                                     |                       |   |  |            |  |   |
| Model: MB 3K/C   |                       |   |  |            |  |   |
| Element: Neodymium Dynamic   |                       |   |  |            |  |   |
| Frequency Response: 60 - 14,000 Hz                                   |                       |   |  |            |  |   |
| Weight: 343 g  |                       |   |  |            |  |   |
| Dimensions: 7.56" (192 mm) long, 2.12" (53.8 mm) head diamete        | ar l                  | ł |  |            |  |   |
| Inclusions: clamp and protective pouch                               | "                     |   |  |            |  |   |
| inclusions, clamp and protective podon                               |                       |   |  |            |  |   |
| Microphone Cable Specifications:                                     |                       |   |  |            |  |   |
| Male XLR to Female XLR Cable   |                       |   |  |            |  |   |
| Length: preferably 5 meters or more, ideal for conferences or        |                       | 3 |  |            |  |   |
| training sessions  |                       |   |  |            |  |   |
| Compatible with MB 3K/C microphone                                   |                       |   |  |            |  |   |
|  |                       |   |  |            |  |   |
| Microphone Stand Specifications:                                     |                       |   |  |            |  |   |
| Model: MTL-01  |                       |   |  |            |  |   |
| Solid steel parts  |                       | 2 |  |            |  |   |
| Height adjustment: 36" to 64"  |                       |   |  |            |  |   |
| Base spread: 24"   |                       |   |  |            |  |   |
| Color: Black powder coat   |                       |   |  |            |  | 1 |
| Materials: Thick steel tubing  |                       |   |  |            |  |   |
|  |                       |   |  |            |  |   |
| Other requirements:  |                       |   |  |            |  |   |
| - includes warranty coverage for all items                           |                       |   |  |            |  |   |
| - defective item/s will be replaced by the supplier with no addition | nal                   |   |  |            |  |   |
| charge   |                       |   |  |            |  |   |
| Charge   |                       |   |  |            |  |   |
|  |                       |   |  |            |  |   |
| Total amount in words:   |                       |   |  |            |  |   |
| Printed name of the authorized representative:                       |                       |   |  | Signature: |  |   |
| me of Company:  Position:  |                       |   |  |            |  |   |
|  |                       |   |  |            |  |   |
| Address:   | Tel. No.: Mobile No.: |   |  |            |  |   |
| - CANTON   | 16, 140               |   |  |            |  |   |
| Date:  |                       |   |  |            |  |   |