

REPUBLIC OF THE PHILIPPINES PHILIPPINE STATISTICS AUTHORITY

REQUEST FOR QUOTATION

The Philippine Statistics Authority (PSA) through the Bids and Awards Committee (BAC), intends to

procure DJI Goggles Racing Edition						
which shall be undertaken in accordance with		Section 52.1 (b) Shopping	_			
of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184, with an Approved Budget of the						
Contract (ABC) in the amount of	148,000.00	One Hundred Forty Eight Pesos	_			

Please quote your **best offer** for the **item/s described herein**, subject to the Terms and Conditions provided below. Submit your quotation duly signed by you or your duly authorized representative **not later than**
 1 6 NOV 2021
 at
 Item through email at bac-secretariat@psa.gov.ph

For any clarification, you may contact us at telephone no. (02) 8374-8263 or email address at gsdprocurement.psa@gmail.com

MINERVA ELOISA P. ESQUIVIAS

Chairperson, Bids and Awards Committee

TERMS AND CONDITIONS

- 1 Bidders shall provide correct and accurate information required in this form.
- 2 Price quotattion/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 3 Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties and/or levies payable.
- 4 Quotations exceeding the ABC shall be rejected.
- 5 Award of contract shall be made to the lowest calculated and responsive bid (LCRB).
- ⁶ Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or your duly authorized representative.
- 7 In case of two or more bidders are determined to have submitted the LCRB, the PSA shall adopt and employ "draw lots" as the tie-breaking method to finally detrmine the single winning bidder in accordance with GPPB Circular 06-2005.
- 8 The item/s shall be delivered according to the requirements specified in the Purchase Request (PR).
- 9 The PSA shall have the right to inspect and/or test the goods to confirm their conformity to the Technical Specifications.
- Payment shall be made after delivery and upon submission of the required supporting documents, i.e. Order Slip and/or Billing Statement, by the supplier. Our Government Servicing Bank, Land Bank of the Philippines, shall credit the amount due to the identified bank of the supplier not earlier than twenty four (24) hours, but not later than forty eight (48) hours, upon receipt of our advice. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the account of the supplier.
- Liquidated damages equivalent to one tenth (1/10) of one percent (1%) of the value of the goods not delivered within the prescribed period shall be imposed per day of delay. The PSA shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

Documents to be submitted	Deadline	Remarks
Copy of the 2021 Mayor's/Business Permit or valid PhilGEPS Registration	at I'm An	V 2021 In case not yet available, you may submit your expired Mayor's/Permit with Official Receipt of renewal application. However, a copy of your 2021 Mayor's/Business Permit shall be required to be submitted after award of contract but before payment.



PSA Complex, East Avenue, Diliman, Quezon City, Philippines 1101 Telephone: (632) 8938-5267 www.psa.gov.ph

REQUEST FOR QUOTATION PR No. 21-10-1264

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s for the item/s as follows:

Item(s) and Specification(s), minimum Unit Unit Unit Unit Amount Specification(s), minimum Unit Unit VAT Specification(s)	ance with nnical ations (pls. eck) No
DJI Goggles Racing EditionUnit4Specifications:Weight: DJI Goggles RE Body: 502 gHeadband: 500 gDimensions: DJI Goggles RE Body: 195 x 155 x110 mmHeadband (folded):255 x 205 x 95 mm	<u>No</u>
Specifications:	
Weight: DJI Goggles RE Body: 502 g Headband: 500 g Dimensions: DJI Goggles RE Body: 195 x 155 x 110 mm Headband (folded):255 x 205 x 95 mm	
Headband: 500 g Dimensions: DJI Goggles RE Body: 195 x 155 x 110 mm Headband (folded): 255 x 205 x 95 mm	
Dimensions: DJI Goggles RE Body: 195 x 155 x 110 mm Headband (folded):255 x 205 x 95 mm	
110 mm Headband (folded):255 x 205 x 95 mm	
Headband (folded):255 x 205 x 95 mm	
Screen Size: 5-inch x 2	
Screen Resolution: 3840 x 1080 (single screen:	
1920 x 1080)	
Battery Capacity: 9440 mAh	
Operating Temperature Range: 32° to 140° f (0° to	
40° C)	
Charger: Input; 100-240 VAC, 50/60 Hz, 0.5 A	
Output: 5 V 3 A / 9V 2A / 12 V 1.5 A	
Transmitter Power (EIRP): 2.4GHZ:	
25.5 dBm (FCC); 18.5 dBm (CE); 19 dBm (SRRC) 5.8 GHz:	
Live View Modes: 1080p30, 720p60, 720p30	
Video Format: 1080p30, 720p60, 720p30	
Supported Video Play Format: MP4, MOV, MKV	
(Video format: H264; Audio format: AAC-LC, AAC-	
HE, AC-3, DTS, MP3)	
DJI OcuSync Camera	
Sensor: 5 V 3 A / 9V 2A/ 12 V 1.5 A	
Lens: 2.65 mm, f/2.0	
Lens Group: 6G + IR	
Shutter: Global shutter	
ISO: 100 - 3200	
FOV: 148° (D); 111° (H); 79.5° (V)	
DJI OcuSync Air System	
Weight: Air Unit: 43.7 g;	
Camera (cable included): 18.2 g;	
Pagoda Antenna: 9.4 g;	
Cylindrical Antenna: 9.4 g;	
Dipole Antenna: 4.2 g	
Dimensions:	
Air Unit: 72 x 33 x 14 mm;	
Camera: 29.4 x 28.2 x 22.6 mm	
Communication Frequency: 2.4 GHz / 5.8 GHz	

Transmitter Power (EIRP): 2.4 GHz:					
22.5 dBm (FCC); 18.5					
dBm (CE); 19 dBm					
(SRRC)					
5.8 GHz:					
25.5 dBm (FCC);					
12.5 dBm (CE); 25.5					
dBm (SRRC)					
Live View Modes: 960p50: 70 ms; 720p60: 60 ms;					
480p50: 50 ms					
Max. Transmission Distance: 2.4 GHz: 7 km					
Recommended Frequency Band: 5.8 GHz; CE: 2.4					
GHz; SRRC: 5.8 GHz					
Video Format: MP4 (MPEG4)					
I/O Interface: S.Bus, Micro USB, PPM, UART,					
MMCX, Micro SD card slot					
Supported Flight Control Systems: F3, F4, KISS,					
NAZE					
Support Remote Controllers: X9D (Frsky), DEVO					
10					
(Walkera), T8FG					
(Futaba), T14SG (Futaba),					
WTF09sll (WFLY), AT9S					
(RadioLink)					
Operating Temperature Range: 32° to 140° f (0° to					
40° C)					
Input Power: 9-16.8 V (3S-4S)					
Total amount in words:			-		
Printed name of the authorized representative:			Signature:		
Name of Company:		Position:			
Address:		Email addre	ess:		
Fax No.: Tel. No.:	Mobile No.:				
Date:					