



## REQUEST FOR QUOTATION

The Philippine Statistics Authority (PSA) through its Bids and Awards Committee (BAC) will undertake alternative mode of procurement, (**shopping, small value, etc.**) for Venue, Meals and Accommodation.

<b>Name of Project</b>	Supply and Delivery of Venue, Meals and Accommodation.
<b>Solicitation</b>	PR No. ONS-18-10-243
<b>Location</b>	Metro Manila
<b>Brief Description</b>	Procurement of Good
<b>Quantity</b>	See attached Bid Form
<b>Approved Budget for the Contract (ABC)</b>	₱ 505,650.00
<b>Contract Duration</b>	

Please quote your **lowest price** on the item/s listed below and submit personally your **SEALED QUOTATION** not later than **11:00 am on October 22, 2018** at the **General Services Division, 11<sup>th</sup> Flr., Cyberpod One Enton Centris, Diliman, Quezon City**.

\_\_\_\_\_  
BAC Chairperson

### Terms and Conditions:

1. Only the suppliers registered at the Philippine Government Electronic Procurement System (PhilGEPS) shall be allowed to submit the quotation.
2. All entries must be typewritten/printed legibly in the Bid Form. Failure to use this form will result to disqualification of your bid.
3. Late submission of quotation shall not be accepted.
4. Bids exceeding the ABC shall be disqualified.
5. The Lowest bidder shall be informed immediately and shall be asked to submit additional requirements within three days after the opening of bids or during post qualification.
6. Award of contract shall be made to the lowest quotation, and complies with the specifications and other terms and conditions as stated in the RFQ.
7. Terms of Payment shall be made through check payable to the supplier.
8. The PSA reserves the right to reject any or all bid proposals, or declares the bidding a failure, or not to award the contract, and makes no assurance that a contract shall be entered into as a result of this invitation.



Printed Name of authorized representative/Signature \_\_\_\_\_

Position: \_\_\_\_\_

Name of Company \_\_\_\_\_

Address: \_\_\_\_\_ Email Address: \_\_\_\_\_

Fax No. \_\_\_\_\_, Tel No.: \_\_\_\_\_ Cellphone No. \_\_\_\_\_

Date: \_\_\_\_\_

## **SHEET FED SCANNER**

### **GENERAL**

- Max Supported Document Size  
8.5 in x 160 in
- Manufacturer  
Kodak

### **POWER DEVICE**

- Nominal Voltage  
AC 120/230 V
- Frequency Required  
50/60 Hz
- Power Consumption Operational  
32 Watt
- Power Consumption Stand by  
0.35 Watt
- Power Consumption Sleep  
4 Watt
- Type  
internal power supply

### **MEDIA HANDLING**

- Max Document Size  
8.5 in x 160 in
- Supported Document Type  
Plain paper, business card
- Feeder Capacity  
100 sheets
- Document Feeder Type  
Automatic

### **MISCELLANEOUS**

- Compliant Standards  
TUV GS, C-Tick, VCCI Class B ITE, CISPR 22 Class B, BSMI CNS 13438 Class B, cUL, EN 61000-3-3, EN55024, EN55022 Class B, ICES-003 Class B, UL 60950-1, IEC 60950-1, EN 60950-1, CSA C22.2 No. 60950-1-07, FCC CFR47 Part 15 B, S Mark, AS/NZS 3548 Class B, BSMI CNS 14336, GB 4943, GB 9254 Class B, GB 17625.1
- Color Category

black

#### **ENVIRONMENTAL STANDARDS**

- ENERGY STAR Certified

Yes

#### **INTERFACES**

- Interface

USB 2.0

- Connector Type

Type A

#### **SCANNER**

- Optical Resolution

600 dpi x 600 dpi

- Type

document scanner

- Scanner Speed Details

60 ppm - black&white - 200 dpi

60 ppm - black&white - 300 dpi

60 ppm - color - 200 dpi

120 ipm - black&white - 300 dpi

120 ipm - black&white - 200 dpi

120 ipm - color - 200 dpi

40 ppm - color - 300 dpi

80 ipm - color - 300 dpi

- Interface Type

USB 2.0

- Form Factor

desktop

- Scan Mode

single-pass

- Input Type

color

- Scan Element Type

Dual CCD

- Document Size Class

Other

- Max Supported Document Size

- 8.5 in x 160 in
  - Max H-Document Size  
8.5 m
  - Max V-Document Size  
160 m
  - Grayscale Depth (External)  
8-bit (256 gray levels)
  - Color Depth  
48-bit color
  - Color Depth (External)  
24-bit (16.7 million colors)
  - Max H-Optical Resolution  
600 dpi
  - Max V-Optical Resolution  
600 dpi
  - Lamp / Light Source Type  
dual LED
  - Max Document Scan Speed B/W  
60 ppm
  - Supported Document Type  
business card, plain paper
  - Document Feeder Type  
automatic
  - Feeder Capacity  
100 sheets
  - Duty Cycle  
7000 scans per day
  - Scanner Features  
Automatic Image Orientation, Ultrasonic multifeed sensor, automatic color detection, built-in LCD screen
  - Compliant Standards  
ISIS, TWAIN, WIA
- SYSTEM REQUIREMENTS**
- OS Required

Apple MacOS X 10.10, Microsoft Windows XP SP3, Ubuntu 10.04, Windows 8 (32/64 bits), Windows 8.1 (32/64 bits), Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2008 x64 Edition, Microsoft Windows Server 2012 (64-bit), Microsoft Windows Vista (32/64 bits) SP1, Microsoft Windows XP 64-bit Edition SP2, Microsoft Windows XP SP2

#### **ENVIRONMENTAL PARAMETERS**

- Min Operating Temperature  
50 °F
- Max Operating Temperature  
95 °F
- Humidity Range Operating  
15 - 80%

#### **HEADER**

- Brand  
Kodak
- Product Line  
Kodak
- Model  
i2620
- Packaged Quantity  
1
- Compatibility  
Mac, PC, Unix

#### **SCANNER SPEED DETAILS**

- Speed  
120 ipm, 40 ppm, 60 ppm, 80 ipm
- Mode  
black&white, color
- Image Resolution  
200 dpi, 300 dpi

#### **DIMENSIONS & WEIGHT**

- Width  
13 in
- Depth  
6.4 in
- Height

9.7 in

- Weight  
12.13 lbs

**SYSTEM REQUIREMENTS DETAILS**

- Operating System  
MacOS, Windows XP/Vista/7/8
  - Processor Type  
Core 2 Duo, Core i7
  - Processor Speed  
2 Hz, 2.4 Hz
  - Min RAM Size  
4 GB
-