

REQUEST FOR QUOTATION

The Philippine Statistics Authority (PSA) through its Bids and Awards Committee (BAC) will undertake alternative mode of procurement (**shopping**, **small value**, **etc.**) for **Information Technology Accessories and Peripherals**. Details of the procurement are as follows:

Name of Project	Telephone, LAN Card, PPT Wireless Controller with Laser
	Pointer and DVD Reader
Solicitation No.	PR-ITDS02-20-06-00012
Location	Metro Manila
Brief Description	Procurement of Telephone, LAN Card, PPT Wireless Controller with Laser Pointer and DVD Reader for official PSA network maintenance
Quantity	See attached Bid form.
Approved Budget for the	,
Contract (ABC)	₱ 67,500.00
Date of Delivery	× -

Please quote your lowest price on the item/s listed on the next page and submit the quotation manually to the BAC Secretariat, 11th FIr., Cyberpod One Eton Centris, Diliman, Quezon City or through facsimile number 374-8283 or email to gsd.staff@psa.gov.ph not later than 11:00 AM/PM on . Kindly address your quotation to the Bids and Awards Committee.

MINERVA ELOISA P. ESQUIVIAS
BAC Chairperson

Terms and Conditions:

- 1. Only the suppliers registered at the Philippine Government Electronic Procurement System (PhilGEPS) shall be allowed to submit the quotation.
- 2. All entries must be typewritten/printed legibly in the Bid Form and/or proposal.
- 3. Late submission of quotation shall not be accepted.
- 4. Bids exceeding the ABC shall be disqualified.
- 5. The Lowest bidder shall be informed immediately and shall be asked to submit additional requirements within three days after the opening of bids or during post qualification.
- Award of contract shall be made to the lowest quotation, and complies with the specifications and other terms and conditions as stated in the RFQ.
- 7. Terms of Payment shall be made through check payable to the supplier.
- 8. The PSA reserves the right to reject any or all bid proposals, or declares the bidding a failure, or not to award the contract, and makes no assurance that a contract shall be entered into as a result of this invitation.

PHILIPPINE STATISTICS AUTHORITY REQUEST FOR QUOTATION

Fax no.: 374-82-83/ 374-82-62

BID FORM

Item(s) and specification(s)	Unit	Qty.	Unit Price	Total Amount (VAT inclusive)	Compliance with Technical Specifications (pls. check)			
Minimum					Ye		No	0
Telephone (wireless/wired) Specifications: One-Touch dialer with memory buttons Single-line corded phone for desk or wall mounting Caller ID compatible with 50-station memory 50-station phone book and 20 redial numbers Power Source: From 3 AA batteries Dimensions (H x W x D): 96 mm x 150 mm x 200 mm Warranty: 1 year	units	10	P	₽	()	()
LAN Card Specifications: Essentials Cable Medium: Fiber Cabling Type: MMF 50um up to 500m; MMF 62.5um up to 275m Bracket Height: Low Profile & Full Height TDP: 3.3 W Ethernet Controller: Intel® 82571EB Gigabit Ethernet Controller Off Roadmap: No Networking Specifications Port Configuration: Dual Intel® Virtualization Technology for Connectivity (VT-c): No Speed & Slot Width: 2.5 GT/s, x4 Lane Controller: Intel 82571GB Package Specifications System Interface Type: PCle v1.0a (2.5 GT/s) Intel® Virtualization Technology for Connectivity On-chips QoS and Traffic Management: No Flexible Port Partitioning: No Virtual Machine Device Queues (VMDq): No PCI-SIG* SR-IOV Capable: No Advance Technologies Warp/RDMA: No Intel® Ethernet Power Management: No Intel® Ethernet Power Management: No Intelligent Offloads: Yes Storage Over Ethernet: iSCSI, NFS	units	4	Ρ	P)	()

W							
PPT Wireless Controller with Laser Pointer Technical Specifications Color: Black Laser Class: Class 2 Laser Max Output: Less thank 1mW Wave Length 640~660nm (red light) Battery type: 2 AAA batteries Battery life (Laser pointer): 20-hour maximum Battery life (Presenter): 1050- hour maximum Wireless operating distance: Approx 10m 2 Wireless technology: 2.4 GHz wireless technology Supported OS: Windows Vista, Windows 7, Windows 8 Interface: USB Accessories: Carrying case Package Content Wireless Presenter Wireless mini-receiver 2 AAA batteries Carrying case Quick-start guide Warranty Information Thutitive controls and red laser pointer make presentations a snap, even in the darkest auditoriums. Up to 50-foot (15-meter) range and battery indicator help you make ordinary presentation extraordinary. No software needed, just plug the receiver into a USB port and you're ready to go. The 2.4 GHz wireless allows you to enjoy the freedom to move around the room and mingle with your audience for greater impact.	units	18	₽	P			,
DVD Reader Specifications: Drive Type: External External (Host): USB 2.0 (480Mbits/s) Compliance EMC/EMI: CE Marking, C-Tick Mark, Korean EMC(KCC), Taiwan EMC(BSMI), VCCI, FCC Safety UL: TUV, SEMKO, CB, & IEC60825-1 Report, FDA, GOST, NOM, CSA Laser Safety: Class 1 laser product comply with DHHS rules 21 CFR Subchapter J Class 1 laser product to EN60825-1 / IEC 60825-1 ACCESS TIME DVD-RAM (Ver.2.2): 203 ms typ DVD-ROM: 167 ms typ NOTE: Please Attach (Mayor's Permit, BIR Tax Cert., DTI or SEC, Omnibus Sworn Statement and PhilGEPS Registration Number)	units	1	P	Total amount in words:	()	()

After having carefully read and accepted your Terms and Conditions. I/We quote you on the item