



**REPUBLIC OF THE PHILIPPINES  
PHILIPPINE STATISTICS AUTHORITY**

**REQUEST FOR QUOTATION**

The Philippine Statistics Authority (PSA) through its Bids and Awards Committee (BAC) will undertake alternative mode of procurement (**shopping, small value, etc.**) for **Office Equipments**. Details of the procurement are as follows:

<b>Name of Project</b>	<b>ID Lamination Machine</b>
<b>Solicitation No.</b>	<b>PR-ITDS02-20-09-00033</b>
<b>Location</b>	Metro Manila
<b>Brief Description</b>	<b>Procurement of ID Lamination Machine for official PSA use</b>
<b>Quantity</b>	See attached Bid form.
<b>Approved Budget for the Contract (ABC)</b>	<b>₱ 200,000.00</b>
<b>Date of Delivery</b>	

Please quote your lowest price on the item/s listed on the next page and submit the quotation manually to the **BAC Secretariat, 11<sup>th</sup> Flr., Cyberpod One Eton Centris, Diliman, Quezon City** or through facsimile number 374-8283 or email to [gsd.staff@psa.gov.ph](mailto:gsd.staff@psa.gov.ph) not later than \_\_\_\_:00 AM/PM on \_\_\_\_\_. Kindly address your quotation to the Bids and Awards Committee.

**MINERVA ELOISA P. ESQUIVIAS**  
BAC Chairperson

**Terms and Conditions:**

1. Only the suppliers registered at the Philippine Government Electronic Procurement System (PhilGEPS) shall be allowed to submit the quotation.
2. All entries must be typewritten/printed legibly in the Bid Form and/or proposal.
3. Late submission of quotation shall not be accepted.
4. Bids exceeding the ABC shall be disqualified.
5. The Lowest bidder shall be informed immediately and shall be asked to submit additional requirements within three days after the opening of bids or during post qualification.
6. Award of contract shall be made to the lowest quotation, and complies with the specifications and other terms and conditions as stated in the RFQ.
7. Terms of Payment shall be made through check payable to the supplier.
8. The PSA reserves the right to reject any or all bid proposals, or declares the bidding a failure, or not to award the contract, and makes no assurance that a contract shall be entered into as a result of this invitation.

**PHILIPPINE STATISTICS AUTHORITY**  
**REQUEST FOR QUOTATION**  
Fax no.: 374-82-83/ 374-82-62

**BID FORM**

Item(s) and specification(s)  Minimum	Unit	Qty.	Unit Price	Total Amount  (VAT inclusive)	Compliance with Technical Specifications (pls. check)	
					Yes	No
<b>ID LAMINATION</b>  Specifications: <b>Reverse transfer printing, using color dye sublimation and resin monochrome retransfer</b> <ul style="list-style-type: none"> <li>- Dual-sided printing (standard)</li> <li>- Over the edge printing</li> <li>- Using color dye sublimation and resin monochrome retransfer</li> <li>- 600 dpi print head (23.6 dots/mm)</li> <li>- Bitmap: 24 bits, 16 million colors</li> <li>- Printout: Y/M/C 256 level</li> <li>- 64 MB of memory (RAM)</li> </ul> <b>Printing Performances</b> <ul style="list-style-type: none"> <li>- Full Card:</li> <li>- Single side (YMCK): 25 s/card – 144 cards/hour</li> <li>- Dual side (YMCKK): 37.5 s/card – 96 cards/hour</li> </ul> <b>Additional encoding modules</b> <ul style="list-style-type: none"> <li>- Available modules</li> <li>- Magnetic stripe encoder ISO 7811</li> <li>- Dual contact and contactless encoder</li> <li>- Encoder connectivity: internal USB hub, 1 port available</li> <li>- Encoding options can be combined</li> <li>- Factory installed or installed on site for contact and contactless</li> </ul> <b>Interfaces</b> <ul style="list-style-type: none"> <li>- USB (1.0, 1.1, 2.0, 3.0), cable supplied</li> <li>- Ethernet TCP-IP 10BaseT, 100BaseT (Traffic Led)</li> </ul> <b>Safety</b> <ul style="list-style-type: none"> <li>- RFID locking key</li> <li>- Support for security lock</li> <li>- Centralized locking system to secure access to blank cards, ribbon and film (optional)</li> <li>- IPSec encrypted networking security</li> </ul> <b>Card management and specifications</b> <ul style="list-style-type: none"> <li>- Card feeder: 250 cards (0.76 mm – 30 mil)</li> <li>- Card output hopper: 250 cards (0.76 mm – 30 mil)</li> <li>- Reject tray capacity: 30 cards (0.76 mm – 30 mil)</li> </ul>	pc	1	₱ _____	₱ _____	(   )	(   )

<ul style="list-style-type: none"> <li>- Card thickness: 0.7 mm (30 mil), manual adjustment</li> <li>- Card types: <ul style="list-style-type: none"> <li>• PVC cards</li> <li>• Composite PVC cards</li> <li>• PET-F cards</li> <li>• PET-G cards</li> <li>• Polycarbonate cards (PC)</li> <li>• ABS cards</li> </ul> </li> <li>- Card format: ISO 7810 (53.98 x 85.60 mm – 3.370” x 2.125”)</li> <li>- Clear transfer film: 500 prints/roll</li> <li>- Holographic transfer film: 400 prints/roll</li> <li>- YMCK: 500 prints/roll</li> <li>- YMCKK: 400 prints/roll</li> <li>- YMCKI ribbon (for smart cards, magnetic stripes and signature panels): 400 prints/roll</li> <li>- YMCKH ribbon (for non PVC cards): 400 prints/roll</li> <li>- YMC FK ribbon (F = UV ink): 400 prints/roll</li> </ul> <p><b>NOTE: Please Attach (Mayor's Permit, BIR Tax Cert., DTI or SEC, Omnibus Sworn Statement and PhilGEPS Registration Number)</b></p>						<p>Total amount in words:_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>
---	--	--	--	--	--	---

After having carefully read and accepted your Terms and Conditions. I/We quote you on the item at prices noted above.

Printed Name of authorized representative/Signature\_\_\_\_\_

Position: \_\_\_\_\_

Name of Company \_\_\_\_\_

Address: \_\_\_\_\_ Email Address: \_\_\_\_\_

Fax No. \_\_\_\_\_. Tel No.: \_\_\_\_\_ Cellphone No.\_\_\_\_\_

Date: \_\_\_\_\_