

## Republic of the Philippines PHILIPPINE STATISTICS AUTHORITY Regional Statistical Services Office MIMAROPA



## **REQUEST FOR QUOTATION**

The Philippine Statistics Authority (PSA) Regional Statistical Services Office (RSSO) MIMAROPA Statistical Operations and Coordination Division (SOCD) through Regional Office-Bids and Awards Committee (RO-BAC) will undertake alternative mode of procurement Small Value Procurement – pursuant to the provisions of R.A. 9184, to wit:

Name of Project	Unintterupted Power Supply and Other Information ar Communications Technology Equipment for 2024 Censu of Population and Community-Based Monitoring Syste Data Processing Center			
Solicitation	2024-10-0722			
Place of Delivery	Calapan City, Oriental Mindoro			
<b>Brief Description</b>	ICT Equipment			
Quantity	9 items			
Approved Budget for the Contract (ABC)	P 765,450.00			
Date of Delivery	November 08, 2024			

Please quote your **lowest price** on the attached bid form and submit personally your **SEALED QUOTATION not later than 9:00 AM on Tuesday, October 15, 2024** at the Civil Registration and Administrative Support Division (CRASD), 2<sup>nd</sup> Floor, Emerald Building (PRIMA), J.P Rizal St. Camilmil, Calapan City.

Received by:	201
Name and Signature:	VENERANDA F. MENDOZA
Company:	PSA-RO-BAC Chairperson
Date:	

## **Terms and Conditions:**

- 1. All entries must be written legibly in the Bid Form.
- 2. Late submission of quotation shall not be accepted.
- 3. Bids exceeding the ABC shall be disqualified.
- 4. Requirements:
  - i. Copy of PhilGEPS Registration
  - ii. Mayor's Permit/Business Permit
  - iii. Income/Business Tax Return (for ABCs above P500K)
  - Omnibus Sworn Statement (Emergency Procurement with ABC at least P500,000.00 and for Small Value Procurement with ABC at least P50,000.00)
- 5. Award of contract shall be made to the lowest/single calculated and responsive bid.
- 6. Terms of Payment shall be made through check/ADA payable to the supplier.
- 7. Warranty shall be for a period of six (6) months for goods and one (1) year for equipments from date of acceptance by the procuring entity.
- 8. Price validity shall be a period of 30 calendar days for goods and six (6) months for services.
- 9.Pending the perfection of Purchase Order/Service Agreement/Contract of Service, the PSA reserves the right to reject any or all bid proposals, or declares the bidding a failure, or not to award the contract, and makes no assurance that a contract shall be entered into as a result of this invitation.







## PHILIPPINE STATISTICS AUTHORITY Regional Statistical Services Office MIMAROPA REQUEST FOR QUOTATION Page 2



BID FORM

Item/s and Specification/s (minimum)	Unit	Qty.	Unit Price	Total Amount (VAT inclusive)	with Te	cations check)
Unintterupted Power Supply and Other Information and Communications Technology Equipment for 2024 Census of Population and Community-Based Monitoring System Data Processing Center						
UPS	рс	102			( )	( )
Var Factures			No. of the last			
Key Features:						
Automatic Voltage Regulation (AVR) Auto-Restart/Auto-charge				The second second		
						117.08
Generator Compatible Cold Start Function						
Off-mode Charging						
LCD Panel			-			
USB						
Specification	100,000					
Model: 1000VA/600W			-	The section of the section of		
	-					
Input Voltage: 220-240V						
Voltage Range: 160-290Vac						
Frequency: 50/60Hz (Auto-sensing)						
Output						
Voltage (Battery) : 220-240V						
Frequency (Battery): 50/60Hz±1%	1					
Waveform (Battery): Simulated Sine Wave						
Transfer Time: 4ms Typical						
Outlet Type : 6 NEMA 5-15R						
Protection: Overload, Short Circuit, Over Discharge and Over Charge						
Battery						
Typical Back-up Time: 5-20 minutes						
Sealed Lead-acid Battery: 12V 9AH * 1	94.					
Typical Recharge Time: 8 hours max (recharge time to 90% of capability)						
Indicators						
Display : LCD Panel	والأبطاء					
Alarm: Battery Mode, Low Battery, Overload, Fault, etc.						



Interface : USB/RJ-11/RJ-45 & Breaker							W
Management				وتناوات			
Auto Recharge : Yes							
Auto Restart : Yes							
Power Management Software : Yes							
Physical Discourse of the Physical Phys							
Dimensions (WxHxD) (mm) : 93 x 138 x 286							
Netweight (kg): 6.5							
Environment				West of the second			
Temperature and Humidity: 0° to +40°C, 0 to 90% Relative Humidity (Non-condensing)							
Noise Level: Less than 40dB						U com	
LAN Cable (UTP Cable CAT 6) - Indoor	box	5	many and the same		)	(	)
Length: 1000ft/305m				1	•	Netanii 1	,
Number of Pairs: 4						8	
Total Number of Conductors: 8							
AWG: 24							
Stranding: Solid Conductor Material: BC - Bare Copper							
Insulation Material: PO - Polyolefin							
Outer Shield Material: Unshielded		#					
						graph Te	
Outer Jacket Material: PVC - Polyvinyl Chloride Plenum (Y/N): N							
Outer Jacket Ripcord - Yes						in the state of	
UL CM Rated						-	
Supporting frequencies of up to 250 MHz and the 10BASE-T, 100BASE-TX, 1000BASE-T, and 10GBASE-T							
						-1	
Crimping Tool (Passthrough RJ45 Connector) with Network Cable Tester	set	5		(	)	(	)
Crimping Tool	177						
Material:Stainless steel, Carbon Steel			100				
Handle Material:Plastic Molded, PVC Sleeve Handle Crimping Range:RJ45/RJ11 6P/8P							
Function: Crimping, stripping, cutting							
Tester	- 201						
Usage/Application: Structured cabling/ Network Installations						24.5	
Material: Plastic	- The state of						
Battery Type: Lithium	-						
Frequency: 50hz						1	
Power Source: Electric		and the second second				1	
Voltage: 230v							
No. of Ports: 3				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Should have battery			alian de la companione				
Should have battery							
CAT6 RJ45 Passthrough	box	5		(	)	(	)
Made of high-quality materials, durable	V Hara		S. R. Ber				



		£			1		1
Full-color gold-plated chip, effectively enhance signal transmission					7.2		
Good oxidation resistance							
Perforated crystal head, fast threading, effectively							
avoiding the core not being inserted in the end							
High strength shrapnel, good flexibility							
Wire hole: 1.0mm							
Compatible: Cat5e / Cat6							
Crystal head x200			d				
Heavy Extension Cord Wheel 10A 2500W 15 Meter	рс	35		(	)	(	)
Universal heavy duty outlets				. 0.7			
15 Meters cord length							
With overheating protection button							
Power leakage/surge protector safety breaker						H	
Rapid flame retardant							
Ergonomic Mouse Pad	рс	122		(	)	(	)
Product: Mouse Pad with Wrist Support (Lycra Cloth)							
Material: High Quality EVA				100			
Dimensions: 230mm x 180mm x 5mm (Wrist Support							
= 20mm)						L	
Lightweight and Portable							
Floor Cord Cover and Cable Protector 100*13*2cm	pc	10		(	)	(	)
Flexible PVC Duct Cord Protector			and the Table			'	,
Size:100*13*2cm							
Material:PVC							
Color:black	all vine					-	
Cable Tie 6"	pack	10		(	)	(	)
Size: 3x150 mm (6 inches)	75 TE 1			10.00			
100 pcs per pack							
color : Black							
Gigabit Router	pc	4		(	)	(	)
WIRELESS							
Standards:		, te					
Wi-Fi 5						1	
IEEE 802.11ac/n/a 5 GHz							
IEEE 802.11n/b/g 2.4 GHz						-	
WiFi Speed:							
AC1900							
5 GHz: 1300 Mbps (802.11ac)							
2.4 GHz: 600 Mbps (802.11n)							
WiFi Range							
3 Bedroom Houses							
4× Fixed High-Performance Antennas						1	
Multiple antennas form a signal-boosting array to cover							
more directions and large areas	el som propri						
Beamforming						1	





TOTAL			تسيعات		
**nothing follows**					
office					
Please attached sheer of allocation and address by					
Quotations should include shipping cost to PSA Regional and Provinical Offices.					
Note: " Overtriens should include shipping cost to PSA				Here I	
Expected date of delivery: November 8, 2024		1. 1.		27 - V	
E tal data of delivery: November 8 2024					
$8.5 \times 4.6 \times 1.26$ in (215 × 117 × 32 mm)				_	
DIMENSIONS				-	
Power US Version: 12 V = 1.5 A					-4
Reset Button		i i i i i i i i i i i i i i i i i i i			
Power On/Off Button		apalan in			
WPS/Wi-Fi Button	-1				
Buttons:			- 10 de - 10 d		
4× Gigabit LAN Ports		and the same			4-41-4
1× Gigabit WAN Port					
Ethernet Ports:				4.5	
Processor: 1.2 GHz CPU			No.	18/ 5	
HARDWARE				1 100	
Access Point Mode					
Router Mode				100	
Working Modes:					
Improves network efficiency by limiting excessive occupation			a decrete order tenned		
Airtime Fairness	E SAN THE SAN				
Simultaneously communicates with multiple MU-MIMO clients					
3×3 MU-MIMO					
Dual-Band: Allocate devices to different bands for optimal performance					
Medium					
WiFi Capacity:			And Difference		
xpand WiFi range			د د مشتمید په آخلو کیو		TOTAL TOTAL

noted above. Printed Name of authorized representative/Signature\_\_\_\_\_ Name of Company \_\_\_\_\_ Email Address:\_\_\_\_\_ Address: Fax No. \_\_\_\_\_. Tel No.: \_\_\_\_\_ Cellphone No.\_\_\_\_\_ Date: LBP Account No. of Establishment: \_\_\_\_\_\_Name of Payee: \_\_\_\_\_





Tax Identification Number:	Copy of PhilGEPS Registration No.:
BIR Registration: VAT	Non-VAT
Canvassed by:	
Canvasser	