

## REQUEST FOR QUOTATION RFQ # 0700-2023-12-236 12 DECEMBER 2023

The Philippine Statistics Authority-Region 7 (PSA-R07) through its Bids and Awards Committee (BAC) will undertake Alternative Mode of Procurement, **Small Value Procurement** for the **Procurement of Equipment for CBMS Operations**.

Name of Project	Procurement of Equipment for CBMS Operations				
Solicitation (If posted at the PhilGEPS)	0700-2023-12-222				
Purchase Request No.	PR # 0700-2023-12-110				
Location	PSA-RSSO 7, Gaisano Capital South Bldg., Colon St., Cebu City				
Brief Description	AC Units, DSLR Camera and Audio Equipment				
Quantity	Please see page 3 , 4 & 5 of the RFQ				
Approved Budget for the Contract (ABC)	Php393,000.00				
Contract Duration	O Davis una se se interfere (D.O. (Desertes et Octor)				
Date of Delivery	3 Days upon receipt of P.O. (Purchase Order)				

Please quote your best price for the item described herein, subject to the Terms and Conditions provided in this RFQ. Submit your sealed quotation duly signed by you or your duly authorized representative personally not later than

18 DECEMBER 2023, 12:00 Noon through the address PSA-RSSO 7 (2nd floor), Gaisano Capital South Bldg., Colon St., Cebu City.

Note: Online submission of accomplished bid form/s will not be accepted.

For any clarification, you may contact us at telephone nos. (032) 412-6794 / 254-0470 or email address at psa07.rbac@gmail.com.

Contact persons: Ms. Erah Mhay Qui ñ ones / Ms. Marie Cris L. Lerio / Ms. Mary Clare C. Coronado / Ms. Manilyn L.
Lunday

R07 BAC Secretariat

EDWINA M. CARRIAGA R07 BAC Chairperson

### **Terms and Conditions:**

- 1. Only the suppliers registered at the Philippine Government Electronic Procurement System (PhilGEPS) shall be allowed to submit the quotation.
- 2. All entries must be typewritten/printed legibly in the Bid Form. Failure to use this form will result to disqualification of your bid.
- 3. Bidders shall provide correct and accurate information required in this form.
- 4. Bidders may quote for any or all the items. If the procurement is done by lot, the bidder may quote for any or all lots and must quote all the items under a specific lot.
- 5. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or your duly authorized representative/s.
- 6. Late submission of quotation shall not be accepted.
- 7. Bids exceeding the ABC for each item/lot shall be disqualified.
- 8. Award of contract shall be made to the Lowest Calculated and Responsive Bidder which complies with the specifications and other terms and conditions as stated herein.
- 9. The Lowest Calculated and Responsive Bidder shall be informed immediately.

# PHILIPPINE STATISTICS AUTHORITY Region 7 – Central Visayas REQUEST FOR QUOTATION Page 2

- 10. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the PSA shall adopt and employ "drawlots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- 11. The item/s shall be delivered according to the requirements specified in the Technical Specifications.
- 12. The PSA shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
- 13. The following documentary requirements must be submitted prior to issuance of Purchase Order/Contract:
  - · Mayor's/Business Permit
  - · PhilGEPS Registration Number/Certificate
  - Income/Business Tax Return (for ABCs above 500K)
  - · Omnibus Sworn Statement (for ABCs above 50K)
- 14. The PSA reserves the right to reject any or all bid proposals, or declares the bidding a failure, or not to award the contract, and makes no assurance that a contract shall be entered into as a result of this invitation.
- 15. Payment shall be made after delivery and upon the submission of the required supporting documents, i.e. documentary requirements mentioned above (item no. 13), billing statement from the supplier. Our Government Servicing Bank, i.e. the Land Bank of the Philippines, shall credit the amount due to the supplier's identified bank account not earlier than twenty-four (24 hours), but not later than forty-eight (48) hours, upon receipt of our advice.
- 16. Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The PSA shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies to it.

## PHILIPPINE STATISTICS AUTHORITY Region 7 – Central Visayas REQUEST FOR QUOTATION Page 3

#### **BID FORM**

#### **IMPORTANT NOTES/INSTRUCTIONS:**

- 1. Make sure to read the Terms and Conditions stated in the Request for Quotation before filling out this form.
- 2. Use this form for your quotation. Additional bidder's proposal can also be attached to this form.
- 3. Accomplish this form correctly and accurately.
- 4. Do not alter the contents of this form in any way.
- 5. All technical specifications are mandatory. Failure to comply with any of the mandatory requirements will disqualify your quotation.
- 6. Ensure to indicate the price for the whole lot and the unit price per unit.
- 7. Ensure to fill-up the TOTAL AMOUNT IN WORDS.
- 8. Ensure to check the "Compliance with Technical Specifications" Column.
- 9. Submit your bid sealed in an envelope.
- 10. Failure to follow these instructions will result to the disqualification of your entire quotation/bid.

item No.	Item/s and specification/s (minimum)	Unit	Qty.	Approved Budget for the Contract (ABC) per unit	Unit Price (in Peso) Please indicate your offer/price here.	Total Amount (VAT inclusive)	Compliance with Technical Specifications (please check)			8
		•	<u> </u>				YES		N	<u>)                                    </u>
	Procurement of Equipment for CBMS Operations			393,000.00			(	)	(	)
1	Procurement of Air Conditioner Floor Mounted Inverter and Air Conditioning Unit Split Type/Wall Mounted	LOT	1	163,000.00			(	)	(	)
1.1	Air Conditioner Floor Mounted Inverter	UNIT	1	110,000.00			(	)	(	)
	- Cooling Capacity: 3 tonners				-		(	)	(	)
	- Power Consumption: 3100 Watts				-		(	)	(	)
	- 1 Year Warranty on parts, services, and compressor						(	)	(	)
•	Brand: Koppel Super Inverter, Model no. KV360DU- ARF21C						(	)	(	)
1.2	Air Conditioning Unit Split Type/Wall Mounted	UNIT	1	53,000.00			(	)	(	)
	2.5 HP						(	)	(	<u> </u>
-	- Dual Inverter Compressor						(	)	(	)
	- 70% Energy Saving	•					(	)	(	<u>,</u>
	- Fast Cooling						(	)	(	<u> </u>
	- 4 Way Swing						(	)	(	)
	- Auto Clean						(	)	(	)
	- Wi-Fi						(	)	(	)
2	DSLR Camera for CBMS Documentation			60,000.00			(	)	(	)
	Sensor						(	)	(	)
	Max resolution: 6000 x 4000						(	)	(	)
	Image ratio w:h: 1:1, 4:3, 3:2, 16:9				-		(	)	(	)
	Effective pixels: 24 megapixels			-			<del>.</del> (	)	(	<u> </u>
	Sensor photo detectors: 26 megapixels			· -··-			<u>`</u>	)	(	<u> </u>
	Sensor size: APS-C (22 X 14.9mm)		† <u> </u>				<u>`</u>	Í	Ì	<u>′</u>
	Sensor type: CMOS	<del></del>					<u>`</u>	1		<u>/</u>
	Processor: Digic X				_	<del></del>	<del>`</del>	$\dashv$	/	<del>/</del>

	T	T	<u></u>	<del></del>	T		·	1/	
	Image	<del> </del>	<del> </del>				-	71	<del></del>
$\vdash$	ISO: 100-32000				<del> </del>		(	4	
	Boosted ISO (minimum): 100						(	<u>) (</u>	<u> </u>
	Boosted ISO (maximum): 51200		<u> </u>	_	<u> </u>		(	)(	<u> </u>
	White balance presets: 6		ļ				(	<u>) (</u>	
	Custom white balance: Yes		<b> </b>				(	) (	
	Image stabilization: No		<u> </u>				(	<u>)                                    </u>	)
	Uncompressed format: Raw	ļ	ļ				(	) (	)
	JPEG quality levels: Fine, Normal						(	<u>) (</u>	)
	Optics & Focus		<u> </u>				(	) (	)
	Autofocus:						(	) (	)
	Phase Detect						(	) (	)
	Multi-area						(	) (	)
	Center						(	) (	)
	Selective single-point			_			(	) (	)
	Tracking						(	) (	
	Single						(	) (	
	Continuous						(	) (	)
	Touch					<u> </u>	(	) (	)
	Face Detection						(	) (	<del></del>
	Live View						(	) (	<u> </u>
-	Manual focus: Yes						(	) (	<del></del>
	Number of focus points: 651		<del> </del>				(	) (	<del></del>
	Lens mount: RF Lens						(	11	<del></del>
	Focal length multiplier: 1.6x				<del> </del>		(	11	$\frac{}{}$
-	Screen/VBiewfinder						7	10	$\overrightarrow{}$
$\vdash$	Articulated LCD: Fully Articulated						(	17	$\frac{}{}$
-	Screen size: 3"	<del> </del>					(	) (	<del></del>
<b></b>	Screen dots: 1,620,000	1			<del> </del>		1	11	<del></del>
$\vdash$	Touch screen: Yes	<del> </del>					(	110	<del></del>
<del></del>	Live view: Yes				·		(	11	$\frac{}{}$
	Viewfinder type: Electronic						1	1/	<del></del>
	Viewfinder coverage: 100%		<del> </del> -	-			(	17	<del></del>
		_	<del> </del> -				,	$\frac{1}{1}$	
	Viewfinder magnification: 0.65x (0.59x 35mm equiv.)						(	<u>) (</u>	
	Viewfinder resolution: 2,360,000						(	) (	)
	Photography features						(	<u>) (</u>	)
	Minimum shutter speed: 30 sec		<u> </u>				(	) (	)
	Maximum shutter speed: 1/4000 sec				ļ		(	) (	)
	Maximum shutter speed (electronic): 1/8000 sec						(	) (	)
	Aperture priority: Yes						(	) (	)
$\vdash$	Shutter priority: Yes		ļ			_	(	) (	)
	Manual exposure mode: Yes						(	) (	)
	Built-in flash: Yes						(	) (	)
	External flash: Yes (Hotshoe)						(	) (	)
	Continuous drive: 12.0 fps						(	) (	)
	Self-timer: Yes						(	) (	)
	Metering modes:						(	) (	)
	Multi						(	) (	)
	Center-weighted						(	) (	)
	Spot						(	) (	)
]	Partial						(	) (	

	Videography features	·-··				Γ	1	`	1	
	Format: H.264, H.265						/	<del>-/</del>		$\stackrel{\prime}{\rightarrow}$
	Mode: at least 1920 x 1080 @120p				_		/	)	(	$\stackrel{\prime}{\neg}$
	- ,	<u>-</u>					7	) \	1	<del></del>
	Storage Storage types: UHS-I SD			_			1	<del>/</del>	1	$\stackrel{\prime}{\rightarrow}$
	Connectivity						7	<u> </u>	7	<del></del>
	USB: USB 2.0 (480 Mbit/sec)	_					/	<u> </u>	1	<del>-/</del>
	USB charging: Yes			<del></del>			/	<u> </u>	-	<del>-/-</del>
	HDMI: Yes (Micro)						7	<u> </u>	/	<del></del>
	Microphone port: Yes	-					-	<del>/</del>	\ '	$\frac{}{}$
	· · · · · · · · · · · · · · · · · · ·	_					7	<del>_</del>	/	$\stackrel{\prime}{\neg}$
	Headphone port: No Wireless: Built-In	· _			_		-	<u> </u>	/	<del></del>
	Remote control: Yes				1		/	<u> </u>	/	<u> </u>
			-			<u> </u>	/	)	-	<u> </u>
	Physical Battery: Battery Pack						/	<u> </u>	/	<del>-/</del>
-							/	<u> </u>	/	一
	Battery description: LP-E17		-				1		_	<del></del>
3	Conference Room Audio Equipment			170,000.00			(	)	(	)
	Wireless Conference Microphones with amplifier, console mixer and speakers						(	)	(	)
	- 16 pieces gooseneck type wireless microphones						(	)	(	)
	INDOOR-OUTDOOR SPEAKER SYSTEM SPECIFICATION  •WOOFER 8" (203mm) WITH POLYPROPYLENE CONE AND BUTYL RUBBER SURROUND •TWEETER 1" (25mm) BALANCE DOME TWEETER •MAGNET"2 sets (4 speakers) of 8 INCHES SPEAKER, 2WAY INDOOR-OUTDOOR SPEAKER SYSTEM  •WOOFER 8"" (203mm) WITH POLYPROPYLENE CONE AND BUTYL RUBBER SURROUND  •TWEETER 1"" (25mm) BALANCE DOME TWEETER  •MAGNET FERRITE: 15oz  •CROSSOVER NETWORK: BUILT-IN 6dB /OCTAVE  •DUAL IMPEDANCE: 8 OHMS  •FREQUENCY RESPONSE: 75HZ-20KHZ  •POWER HAMDLING: 200 WATTS MAX  •DIMENSIONS:230 W(9"") X 305MM H (12"") x 190 MM D(7.5"")" FERRITE: 15oz •CROSSOVER NETWORK: BUILT-IN 6dB /OCTAVE •DUAL IMPEDANCE: 8 OHMS  •FREQUENCY RESPONSE: 75HZ-20KHZ •POWER HAMDLING: 200 WATTS MAX •DIMENSIONS:230 W(9") X 305MM H (12") x 190 MM D(7.5")						(	)	(	)
	Integrated Amplifier 1000W -Maximum Wattage 1000W X 2 -2 Mic Input -USB, Bluetooth, AUX1, AUX2 -Mic Bass, Treble, Echo control -Binding Post & SpeakON Terminal -With Sub Out, Line Out & Mic Out -Feedback Reducer Button -Loudness Button					:	(	)	(	)
	With wire #16 at least 40 meters						(	)	(	)
	10 channel original console mixer - D-PRE (DISCRETE CLASS-A MIC PREAMPS) - with 1-KNOB COMPRESSORS - HIGH-GRADE EFFECTS - with USB INTERFACE						(	)	(	)
	Inclusive of Installation						(	)	(	
<u> </u>	TERMS AND CONDITIONS:					<u> </u>	(	)	(	<u> </u>
	Payment will be collected fifteen (15) days after receipt of the billing statement.						(	)	(	)
	2. Price quotation/s validity: Must be valid for a period of fifteen (15) calendar days from the date of submission.						(	)	(	)

de ne sa	In case, there are unforeseen of the case, there are unforeseen of the case of the additional cost and the properties of the case of the c	an advance continuance of				( )
то	TAL AMOUNT IN WORDS:		<b></b>			•
-						
Other R	equirements:		, <del>(2</del> -			
Τe	erms of Payment:					
St	nyment shall be made either through ubmission of Billing/Statement of Ac editor's account.	check or Land Bank's count and User Acce	s LDDAP-ADA/Bar ptance of the pro	k Transfer facility, w duct. Bank Transfer	ithin thirty (30 fee shall be	) working days after charged against the
Pá	ayment Details:					
Ва	anking Institution:					
	count Number:				_	
	count Name:				_	
	ranch:				<del></del>	
	aving carefully read and accepted y				t prices noted	d above.
Printed	Name of authorized representative	e/Signature				
Position	n:					
Name	of Company					
TIN #:		(Please specify if V	AT or NON-VAT	")	_	
Addres	s: Tel No.:	Email	Address:			
Fax No	Tel No.:	Ce	llphone No			
	<del></del>					

•

•

•