



REQUEST FOR QUOTATION

The Philippine Statistics Authority (PSA) **Regional Statistical Services Office (RSSO) MIMAROPA Statistical Operations and Coordination Division (SOCD)** through Regional Office-Bids and Awards Committee (RO-BAC) will undertake alternative mode of procurement **Small Value Procurement** – pursuant to the provisions of R.A. 9184, to wit;

Name of Project	Procurement of Various Information and Communications Technology (ICT) Equipment for MIMAROPA Regional and Provincial Offices
Solicitation	2024-12-0980
Place of Delivery	Calapan City, Oriental Mindoro
Brief Description	ICT Equipment
Quantity	15 items
Approved Budget for the Contract (ABC)	P 530,400.00
Date of Delivery	18 December 2024


Please quote your **lowest price** on the attached bid form and submit personally your **SEALED QUOTATION not later than 9:00 AM on Monday, December 09, 2024** at the Civil Registration and Administrative Support Division (CRASD), 2nd Floor, Emerald Building (PRIMA), J.P Rizal St. Camilmil, Calapan City.

Received by:

Name and Signature: _____

Company: _____

Date: _____


VENERANDA F. MENDOZA
PSA-RO-BAC Chairperson

Terms and Conditions:

1. All entries must be written legibly in the Bid Form.
2. Late submission of quotation shall not be accepted.
3. Bids exceeding the ABC shall be disqualified.
4. Requirements:
 - i. Copy of PhilGEPS Registration
 - ii. Mayor's Permit/Business Permit
 - iii. *Income/Business Tax Return (for ABCs above P500K)*
 - iv. *Omnibus Sworn Statement (Emergency Procurement with ABC at least P500,000.00 and for Small Value Procurement with ABC at least P50,000.00)*
5. Award of contract shall be made to the lowest/single calculated and responsive bid.
6. Terms of Payment shall be made through check/ADA payable to the supplier.
7. Warranty shall be for a period of six (6) months for goods and one (1) year for equipments from date of acceptance by the procuring entity.
8. Price validity shall be a period of 30 calendar days for goods and six (6) months for services.
9. Pending the perfection of Purchase Order/Service Agreement/Contract of Service, the PSA reserves the right to reject any or all bid proposals, or declares the bidding a failure, or not to award the contract, and makes no assurance that a contract shall be entered into as a result of this invitation.



BID FORM

Item/s and Specification/s (minimum)	Unit	Qty.	Unit Price	Total Amount (VAT inclusive)	Compliance with Technical Specifications (please check)	
					YES	NO
Procurement of Various Information and Communications Technology (ICT) Equipment for MIMAROPA Regional and Provincial Offices						
4 Channel Audio Mixer with Bluetooth Bluetooth player Digital display MP3 (U-Disk MP3 Input)MP3 REC+45 V Phantom powerBuilt-in 99 DSP EffectsSingle Group Main ControlFive Band Effects Level MonitorDual 12 Band Level Monitor Main OutputRecord and Monitor output With Bluetooth Play, With Digital Display MP3(U-Disk MP3 Input MP3 With Rec) +48 Phantom Power, Dual 7 Band Eq, Each Channel With Mute Switch, Bulit In 32-Bit Dsp Effects, Single Group Main Output Control With Reduce Noice Function For Karaoke Five Band Effect Level Monitor Dual Twelve Band Level Display Main Output Record Earphones Monitor Output 3 Band Eq Each Channel	pc	6			()	()
Speaker with Wireless Microphone AC220V or DC12V (With built-in Rechargeable Batteries) With 2 Wireless Microphone With 2 Mic Input (1 XLR, 1 PL55) With FM Radio, Bluetooth, Guitar Input (Shared with Mic 2 input), USB & SD Port With 5 Band Equalizer and LCD Display With Aux / Line In and Line Out With Remote Control, Handle and Wheels Cabinet size: 478x393x718mm (lwh)	set	5			()	()
3 Axis Gimbal Stabilizer General: "Dimensions: Unfolded: 276×111.5×99 mm (L×W×H) Folded: 189×84.5×44 mm (L×W×H)" "Weight: Gimbal: Approx. 305 g	pc	6			()	()



Magnetic Phone Clamp: Approx. 25 g"						
Compatible Phone Weight: 170-290 g						
Compatible Phone Thickness: 6.9-10 mm						
Compatible Phone Width: 67-84 mm						
Battery:						
Type: Li-Po 2S						
Capacity: 1000 mAh						
Energy: 7.74 Wh						
Charging Temperature: 5° to 40° C (41° to 104° F)						
Operating Temperature: 0° to 40° C (32° to 104° F)						
Operating Time: Approx. 6 hours and 24 minutes (measured under ideal conditions with the gimbal fully balanced)						
Charging Time: Approx. 1 hour 24 minutes (measured with a 10W Type-C charger)						
Gimbal Charging Port: USB-C						
Gimbal:						
Mechanical Range: Pan: -161.64° to 173.79°						
Roll: -120.30° to 211.97°						
Tilt: -101.64° to 78.55°						
Max Control Speed: 120°/s						
Wireless Mode						
Model: Bluetooth 5.1						
Software						
App: DJI Mimo						
Grip Tripod						
Dimensions : Length: 138 mm						
Diameter: 32 mm						
Weight: Approx. 72 g						
24-Ports Gigabit Unmanaged Switch	pc	5			()	()
Number of Ports: 24 Gigabit						
Speed: 10/100/1000 Mbps						
Plug and play design						
Wireless Pointer	pc	12			()	()
Dimensions						
Presentation remote						
Height: 115.5 mm						
Width: 37.8 mm						
Depth: 27.4 mm						
Weight: 57 g						
Receiver						
Height: 58.6 mm						
Width: 16.5 mm						
Depth: 7.9 mm						
Weight: 6 g						
Technical Specifications						
Laser						
Class: 2 laser						
Max output: Less than 1m W						



Wave Length: 640~660nm (red light)					
Battery					
Battery type: 2 AAA batteries					
Battery life (Laser pointer): 20-hour maximum					
Battery life (Presenter): 1050-hour maximum					
Connectivity					
Wireless technology: 2.4 GHz wireless technology					
Operating distance: Approx 10 m					
4-Port 4K HDMI Splitter	pc	10		()	()
Connects one HDMI source to four HDMI displays at the same time					
HDMI (3D, Deep Color, 4kx2k); HDCP 1.4 Compliant					
Long distance transmission – up to 15 m (24 AWG)					
Supports max. data rate of 10.2 Gbps					
HDMI (Male to Male) Cable- 10 Meters	pc	12		()	()
Connector Plating : Gold					
Cable Jacket Material: PVC - Polyvinyl Chloride					
Cable Shield Material: Aluminum-Mylar Foil with Braid					
Wire Gauge: 24 A					
Length: 10,0 m [32,8 ft]					
Nano - WiFi USB 2.0 adapter	pc	70		()	()
Wireless features					
Wireless frequency:2.4 + 5 GHz (dual band)					
WiFi standards:802.11ax, 802.11ac, 802.11n, 802.11a, 802.11b/g					
Transmission speed - 5GHz [Mb/s]:1201					
Transmission speed - 2.4GHz [Mb/s]:574					
Security:WPA, WPA2, WPA3					
2.4GHz MIMO:2 x 2					
5GHz MIMO:2 x 2					
Type of antenna:Built-in					
Connectors and Interfaces					
Interface:USB 2.0					
Physical characteristics					
Operating temperature [°C]:0 up to 40					
Width [mm]:27					
Height [mm]:8					
Depth [mm]:16					
General					
Type of network card:WLAN					
Ergonomic Mouse Pad	pc	50		()	()
Product: Mouse Pad with Wrist Support (Lycra Cloth)					



2/F Emerald Building, J.P. Rizal St., Calapan City, Oriental Mindoro
 Telephone: (043) 288-9744 / (043) 470-0598
 Telefax: (043) 441-7371 / (043) 470-0716 / (043) 286-7491
 rssomimaropa@psa.gov.ph

Material: High Quality EVA Dimensions: 230mm x 180mm x 5mm (Wrist Support = 20mm) Lightweight and Portable						
USB External Sound Adapter USB 2.0 External Sound Adapter Adapter includes a stereo headphone output jack and a mono microphone input jack plug and play "Cable Lenth: 15cm AUX (TRS)Interface"	pc	7			()	()
CAT6 RJ45 Passthrough Made of high-quality materials, durable Full-color gold-plated chip, effectively enhance signal transmission Good oxidation resistance Perforated crystal head, fast threading, effectively avoiding the core not being inserted in the end High strength shrapnel, good flexibility Wire hole: 1.0mm Compatible: Cat5e / Cat6 Crystal head x200	box	1			()	()
LAN Cable (UTP Cable CAT 6) - Indoor Length: 1000ft/305m Number of Pairs: 4 Total Number of Conductors: 8 AWG: 24 Stranding: Solid Conductor Material: BC - Bare Copper Insulation Material: PO - Polyolefin Outer Shield Material: Unshielded Outer Jacket Material: PVC - Polyvinyl Chloride Plenum (Y/N): N Outer Jacket Ripcord - Yes UL CM Rated Supporting frequencies of up to 250 MHz and the 10BASE-T, 100BASE-TX, 1000BASE-T, and 10GBASE-T	box	6			()	()
RJ45 Cable Extender Connector (Female to Female) Connector type: RJ45 SKU: 35mm*20mm*20mm	pc	40			()	()
Webcam Resolution: FHD 1080P 1920*1080 Frame Rate: 30fps Built-in Mic: Single Digital Mic Lens Type: Full HD Glass lens Focus Type: Fixed Focus* Output Format: MJPEG YUY2	pc	35			()	()



2/F Emerald Building, J.P. Rizal St., Calapan City, Oriental Mindoro
Telephone: (043) 288-9744 / (043) 470-0598
Telefax: (043) 441-7371 / (043) 470-0716 / (043) 286-7491
rssomimaropa@psa.gov.ph

USB Transfer: USB 2.0 High-Speed						
Viewing Angle: 70 degrees						
System Requirements: Windows 7/ 8/ 8.1/ 10 or above						
Wireless Lavalier Microphone with Noise Cancellation Mini Mic	set	19			()	()
Wireless microphone system with dual 2.4G channels						
With the USB-C, Lightning, and 3.5mm TRS connectors						
Available in 48kHz HD audio when noise cancellation enabled						
Wide-range 20-20,000Hz frequency response						
With built-in rechargeable lithium-ion battery						
Mono/ Stereo output switchable						
3.5mm TRS analog output, USB-C and iOS Lightning digital output -universal compatibility with cameras, smartphones and computers						
2×TX						
1×RX						
1× 3.5mm TRS Connector						
1× USB-C Connector						
1× iOS Lightning Connector						
1× 3-in-1 Charging Cable						
2× Fur Windshield						
Please see attached sheets for the photos of each item.						
NOTHING FOLLOWS						
Expected date of delivery: December 18, 2024						
Note:						
Quotations should include shipping cost to PSA Regional, Calapan City						
nothing follows						
TOTAL						

After having carefully read and accepted your Terms and Conditions. I/We quote you on the item at prices noted above.

Printed Name of authorized representative/Signature_____

Position: _____

Name of Company _____

Address: _____ Email Address: _____

Fax No. _____ Tel No.: _____ Cellphone No. _____

Date: _____

LBP Account No. of Establishment: _____ Name of Payee: _____


Tax Identification Number: _____ Copy of PhilGEPS Registration No.: _____

BIR Registration: ☐ VAT ☐ Non-VAT



2/F Emerald Building, J.P. Rizal St., Calapan City, Oriental Mindoro
 Telephone: (043) 288-9744 / (043) 470-0598
 Telefax: (043) 441-7371 / (043) 470-0716 / (043) 286-7491
 rssomimaropa@psa.gov.ph

Canvassed by


Canvasser



2/F Emerald Building, J.P. Rizal St., Calapan City, Oriental Mindoro
Telephone: (043) 288-9744 / (043) 470-0598
Telefax: (043) 441-7371 / (043) 470-0716 / (043) 286-7491
rssomimaropa@psa.gov.ph