

1. Utility Tools



Specifications of Original 10 Pieces Starter Hand Tool Kit (Black/Yellow) - Brand New Tools

- 10-143 Snap off knife 18mm- Light-duty, retractable cutter with Quick-Point™ Snap-Off Blades. Blade sections snap off providing a fresh, sharp cutting point
- 20-807 Mini Hack Saw 245mm - Ergonomically designed grip with thumb rest for maximum comfort, 35mm cutting capacity. Back blade stop for safe handling and use.
- 30-611L Tape Rule Rubber Grip 3.5m - Improve blade readability with high contrast color easy read in all lighting condition.
- 84-031 Long Nose Plier 6 Inches - Smooth tapering jaws are capable of gripping and maneuvering wire in confined area. Also used to bend, loop and cut wire.
- 84-027 Diagonal Plier 6 Inches - The cutting jaws are set at an angle to the handles, allowing the users to cut close to a surface with the hand clear of obstruction. Also used for wire stripping.
- 87-431 Adjustable Wrench 6 Inches - An adjustable jaw design that allows you to grip many fastener sizes. Its built-in tension spring stabilizes the movable, fully hardened jaw. This adjustable wrench is made from forged chrome vanadium steel that is strong and durable. A lightweight handle design ensures a more comfortable and effective grip. Exceeding ANSI specifications like all Stanley products, this wrench boasts of a polished chrome head and chrome-plated body for anti-corrosion protection.
- 51-271 Nail Hammer Wood Handle 16oz - Forged high-carbon steel head provides durability, Fully heat-treated and polished bell face, Light weight wooden handle.
- 65-163 (+) & 65-187 (-) Cushion Grip 3 100mm Screw Driver - Ergonomically designed bi material handle for maximum comfort and for greater torque to applied with less effort.
- 66-119 Test Pen Spark Detecting Screwdriver 50mm - Test range of 100-500 volts.

2. Hand Crimping Tool for RJ11, RJ12, RJ45, RJ11 to RJ45



Product details of Tolsen Industrial Ratchet Modular Crimping Pliers (7.5")

- 7.3"/185mm 8P/6P
- Carbon steel with hardened and tempered frame
- Chemically black finished surface
- PP/TPR Two-component grips
- Compact and durable W/KEY way in 8P modular holder
- Cut and strip wire by one operation, easy and efficient
- With round cable stripper
- For crimping modular plug as follows:
 - 8P8C/RJ45, 8P6C, 8P4C, 8P2C;
 - 6P6C/RJ12, 6P4C/RJ11, 6P2C

3. Rechargeable Battery 9V

1) Product details of EBL 9V 6F22 600mAh High Volume Lithium-ion Rechargeable 9 Volt Li-ion Batteries



- Battery: 6F22 9V 600mAh lithium-ion rechargeable battery
- No memory effect, improved low self discharge makes it still maintain 75% of capacity after 3 year of non-use
- Batteries can be recharged up to 1200 times, high quality with professional care
- Convenient operation without memory effect? can be charged anytime
- Recommended for smoke alarms, professional audio and medical devices

2. Product details of 2100 x Rechargeable Battery 4 x AA



Pack of 4

- Battery Model : BK 3MCCE4BT
- Voltage : 1.2 V
- Typical Capacity : 2000 mAh
- Min. Capacity : 1900 mAh Condition : Brand New and Original

Technology : Ni-MH Low Discharge Rechargeable Battery

Charging / Discharging Cycles : **Up to 2100 Times**

Self-discharge : 65% Capacity After **5 Years**

Size : 4xAA (mignon)

3. Product details of 2100x Rechargeable Battery 4 x AAA



Pack of 4

- Battery Model : BK 4MCCE4BT
- Voltage : 1.2 V
- Typical Capacity : 800 mAh
- Min. Capacity : 750 mAh Condition : Brand New and Original
- Technology : Ni-MH Low Discharge Rechargeable Battery
- Charging / Discharging Cycles : **Up to 2100 Times**
- Self-discharge : 65% Capacity After **5 Years**
- Size : 4xAAA (micro)

4. EBL 999 Rechargeable Battery Charger 12 Slot Battery Charger AA / AAA / 9V



Product description

Size: Universal Charger

Model

EBL-999 Rechargeable Battery Charger - For AA AAA Ni-MH Ni-CD Rechargeable Battery and 9V Ni-MH Li-ion Rechargeable Battery

Convenient for using

Freely charge 1/2/3/4.....10 pieces AA/AAA NI-MH/NI-CD batteries and 1 or 2 pieces 9V batteries

Safety protected

* Controlled by MCU- and using -?V pulse charging- automatically when charged full (except for 9V battery)

* Short circuit protection and reverse polarity protection

* Overheat-detection to prevent over-charging

Compatible


AA/AAA NI-MH/NI-CD rechargeable battery- 9V Ni-MH Ni-CD Li-ion rechargeable battery.

(**Not For:** alkaline battery)

Input and output

Input: AC 100-240V AC 50/60Hz. Worldwide voltage

Output: 2.5-3.5V DC 3.3A




Realtek Gigabit Ethernet Adapter LAN card
PCI-e ethernet


64GB



Samsung 64gb OTG



PDU 8 Slots (Metal)



401 录音笔

Remax Portable Digital Voice Recorder